

## **PRODUCT DATA & HEALTH & SAFETY INFORMATION**

Issue: 2

Issue Date: 1996

### **1. IDENTIFICATION OF SUBSTANCE AND SUPPLIER**

**Product Name:** **DEEPKIL TIMBER PASTE**  
**Supplier:** Chemical Building Products Limited, Tarasay, Higher Blandford Road, Corfe Mullen, BH21 3JG  
Tel: 01202 601701 Fax: 01202 604300

### **2. COMPOSITION/INGREDIENTS INFORMATION**

The product, as supplied, contains Permethrin and a blend of Dodecylamine Salicylate and Dodecylamine Lactate in an oil carrier, with emulsifiers, viscosity modifiers and skinning agents.

OEL FOR Oil Carriers = 5mg/m<sup>3</sup> (applied as spray mist).

### **3. HAZARD INFORMATION**

Eyes: Irritant. Symptoms include redness and watering.  
Skin: Irritant. Frequent contact can cause dermatitis or Keratosis.  
Ingestion: Irritant to mouth, throat and digestive tract. Aspiration into lungs can cause pulmonary injury.  
Inhalation: Low hazard on normal use. Conditions of poor ventilation can cause nausea, headache or dizziness

### **4. FIRST AID MEASURES**

Eyes: Flush with water for 15 minutes. Seek medical attention.  
Skin: Wash with soap and water. Remove contaminated clothing. If irritation persists seek medical attention.  
Ingestion: Obtain immediate medical attention. Show label if possible.  
Inhalation: Any symptoms are alleviated by breathing fresh air.

### **5. PERSONAL PROTECTIVE EQUIPMENT**

Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Eyes: Where risk of splashing is evident wear goggles.  
Hands: Wear synthetic rubber/PVC gloves.  
Body: Wear overalls.

### **6. PHYSICAL DATA**

Specific Gravity: 0.84.  
Flash Point: 130°C  
Usage Rate: 0.8 litres/m<sup>2</sup> at 25mm thickness.  
Colour: White  
Type of Formulation: Ready for use mayonnaise emulsion.  
Application Methods: Brush, Trowel, Caulking Gun.  
Active Ingredients: Permethrin (0.20% w/w)  
Dodecylamine Salicylate/Lactate  
(0.15% w/w) (0.28% w/w)  
EEC Classification: IRRITANT

## **7. STORAGE**

Keep out of reach of children. Keep in original container, tightly closed in a safe place. Protect from frost. Product is flammable.

## **8. SPECIAL REQUIREMENTS**

All bats are protected under the Wildlife and Countryside Act 1981. Before treating any structure used by bats, the Nature Conservancy Council should be consulted. This product should be handled and stored as instructed in Chemical Building Products Technical Literature and in conformance with Legal Regulations.

This product is approved under the Control of Pesticides Regulations 1986 for use as directed. HSE No 5931.

## **9. REFERENCES**

Chemical Building Products Ltd COSSH Assessment for Deepkil Timber Paste.

## **10. SPILLAGE**

Prevent contamination of water courses. Contain material with sand, earth or other suitable absorbent. Do not flush with water. Scoop up and place in a suitable container for safe disposal eg. Controlled incineration. This material and its container must be disposed of in a safe way.

## **11. FIRE**

The carrier oil is inflammable (Flash Point 130°C). Any containers exposed to fire can be cooled by spraying with water. Use CO<sub>2</sub>, Dry Powder or Foam Extinguishers. Do not use water jets.

## **12. CONTROLS**

The (COSSH) Control of Substances Hazardous to Health Regulations 1988 may apply to the use of this product at work.

Use only as a wood preservative.

Irritating to eyes and skin.

To be used only by professional operators.

Flammable. Do not apply in the presence of naked flames, hot surfaces or unprotected electrical equipment.

Use in well ventilated area.

Ventilate confined spaces thoroughly.

Keep away from food, drink and animal feeding stuffs.

Keep away from sources of ignition.

Launder overalls regularly and take off immediately all heavily contaminated clothing.

Wash paste from skin or eyes immediately.

When using do not eat, drink or smoke.

Wash hands and exposed skin before meals and after use.

Remove or cover all foodstuffs, food preparation equipment and eating utensils before application.

Do not apply to surfaces on which food is stored, prepared or eaten.

Dangerous to fish. Do not contaminate ponds, waterways or ditches with the chemical or used container.

Remove all fish tanks before application.

Avoid contact with plant life.

Do not use on beehives or bee-keeping equipment.

Cover storage tanks before application.

Ensure there is a physical barrier to prevent contact by unprotected persons and animals until treated surfaces are dry.

---oo0oo---

The information given above is believed to be accurate but is based on information supplied to Chemical Building Products Ltd and all liability on the part of Chemical Building Products Ltd in respect of loss (including consequential loss or loss of profit), damage, injury, or expense (including liability to third parties) arising from any error or omission in such information or from any use of this product (whether such use is in accordance with such information or otherwise) is excluded, except liability for death or personal injury resulting from negligence or arising under the sales contract for this product or legislation implementing EC Council Directive 85/374/EEC.

## **PRODUCT DATA & HEALTH & SAFETY INFORMATION**

**Product Name:** **DEEPKIL TIMBER PASTE**

### **DESCRIPTION**

Chemical Building Products Deepkil Timber Paste is a white creamy paste and, when applied to timber, kills all known species of insect and fungi which cause decay. It self penetrates through any thickness of wood after application, killing insects and fungi and preserving against future attack.

### **INSTRUCTION FOR USE**

Brush clean all surfaces to be treated – apply Deepkil Timber Paste using brush, trowel or gun to recommended loading.

### **RATE OF USAGE**

Dependant of timber thickness. Eg., 0.8 litres per sq. metre for 25mm thick timber.

### **PACKAGING**

10 litre containers.